Leveraging Data for HIV Response

\$100 Bills on the Ground?

Eran Bendavid September 28, 2018

Stanford University



National Institute of Allergy and Infectious Diseases





National Institute of Allergy and Infectious Diseases



Many thanks to collaborators and gracious hosts




National Institute of Allergy and Infectious Diseases



Many thanks to collaborators and gracious hosts

And all the individuals whose experience contribute to our work



• An intervention is identified from a (relatively small) RCT

- An intervention is identified from a (relatively small) RCT
- Several potential approaches for scaling or implementing the intervention are identified

- An intervention is identified from a (relatively small) RCT
- Several potential approaches for scaling or implementing the intervention are identified
- Essential components of the approaches are implemented

- An intervention is identified from a (relatively small) RCT
- Several potential approaches for scaling or implementing the intervention are identified
- Essential components of the approaches are implemented
- Outcomes of the intervention are measured

- An intervention is identified from a (relatively small) RCT
- Several potential approaches for scaling or implementing the intervention are identified
- Essential components of the approaches are implemented
- Outcomes of the intervention are measured




- An intervention is identified from a (relatively small) RCT
- Several potential approaches for scaling or implementing the intervention are identified
- Essential components of the approaches are implemented
- Outcomes of the intervention are measured




• (Estimated budget for measuring outcomes: \$6 million)

Why is innovation in doing IS important?



Why is innovation in doing IS important?



Alternatives

• Nationally representative surveys conducted in most Sub-Saharan African counties

- Nationally representative surveys conducted in most Sub-Saharan African counties
- Since 2003, over 60 surveys that include HIV testing (over 1,000,000 HIV tests) conducted among women *and men*

- Nationally representative surveys conducted in most Sub-Saharan African counties
- Since 2003, over 60 surveys that include HIV testing (over 1,000,000 HIV tests) conducted among women *and men*
- Surveys also contain an enormous amount of additional information

- Nationally representative surveys conducted in most Sub-Saharan African counties
- Since 2003, over 60 surveys that include HIV testing (over 1,000,000 HIV tests) conducted among women *and men*
- Surveys also contain an enormous amount of additional information
- Information is collected in (largely) the same way across countries and surveys

- Nationally representative surveys conducted in most Sub-Saharan African counties
- Since 2003, over 60 surveys that include HIV testing (over 1,000,000 HIV tests) conducted among women *and men*
- Surveys also contain an enormous amount of additional information
- Information is collected in (largely) the same way across countries and surveys
 - 1. Geospatial information

- Nationally representative surveys conducted in most Sub-Saharan African counties
- Since 2003, over 60 surveys that include HIV testing (over 1,000,000 HIV tests) conducted among women *and men*
- Surveys also contain an enormous amount of additional information
- Information is collected in (largely) the same way across countries and surveys
 - 1. Geospatial information
 - 2. Personal and demographic information

- Nationally representative surveys conducted in most Sub-Saharan African counties
- Since 2003, over 60 surveys that include HIV testing (over 1,000,000 HIV tests) conducted among women *and men*
- Surveys also contain an enormous amount of additional information
- Information is collected in (largely) the same way across countries and surveys
 - 1. Geospatial information
 - 2. Personal and demographic information
 - 3. Socioeconomic information

- Nationally representative surveys conducted in most Sub-Saharan African counties
- Since 2003, over 60 surveys that include HIV testing (over 1,000,000 HIV tests) conducted among women *and men*
- Surveys also contain an enormous amount of additional information
- Information is collected in (largely) the same way across countries and surveys
 - 1. Geospatial information
 - 2. Personal and demographic information
 - 3. Socioeconomic information
 - 4. (Self-reported) sexual behavior

5. Anemia

- 5. Anemia
- 6. Anthropometrics

- 5. Anemia
- 6. Anthropometrics
- 7. Intimate partner violence

- 5. Anemia
- 6. Anthropometrics
- 7. Intimate partner violence
- 8. Reproductive health

- 5. Anemia
- 6. Anthropometrics
- 7. Intimate partner violence
- 8. Reproductive health
- 9. Abortions

- 5. Anemia
- 6. Anthropometrics
- 7. Intimate partner violence
- 8. Reproductive health
- 9. Abortions
- 10. HIV knowledge and attitudes


- 5. Anemia
- 6. Anthropometrics
- 7. Intimate partner violence
- 8. Reproductive health
- 9. Abortions
- 10. HIV knowledge and attitudes
- 11. Child health and mortality

- 5. Anemia
- 6. Anthropometrics
- 7. Intimate partner violence
- 8. Reproductive health
- 9. Abortions
- 10. HIV knowledge and attitudes
- 11. Child health and mortality
- 12. Maternal health and mortality

- 5. Anemia
- 6. Anthropometrics
- 7. Intimate partner violence
- 8. Reproductive health
- 9. Abortions
- 10. HIV knowledge and attitudes
- 11. Child health and mortality
- 12. Maternal health and mortality
- 13. Tobacco use

- 5. Anemia
- 6. Anthropometrics
- 7. Intimate partner violence
- 8. Reproductive health
- 9. Abortions
- 10. HIV knowledge and attitudes
- 11. Child health and mortality
- 12. Maternal health and mortality
- 13. Tobacco use
- 14. Nutrition

DHS Locations



DHS - geospatial opportunities




Figure 1: Variation in under-5 mortality

Maps show variation across sample countries in three decades, and the difference in cell-level mortality between the 1980s and 2000s. Mortality (and change in mortality) is represented as 5m0 (deaths per 1000 under-5 life-years).

DHS - HIV prevalence





Fig. 2. HIV prevalence (in %, 15–49 year-olds) surface for the 16 selected sub-Saharan countries. Surfaces were generated independently for each country. Surveys used were conducted between 2008 and 2012.

DHS - malnutrition (stunting)



DHS - diarrhea




Figure 1. Diarrhea-Related Mortality Rates among Children Younger than 5 Years of Age in 2000 and 2015.

Reiner et al, NEJM 2018

DHS - HIV incidence

Household survey of HIV incidence in Rwanda: a national observational cohort study

Sabin Nsanzimana, Eric Remera, Steve Kanters, Augustin Mulindabigwi, Amitabh B Suthar, Jean Paul Uwizihiwe, Mutagoma Mwumvaneza, Edward J Mills, Heiner C Bucher




Figure: Distribution of new infections across the provinces of Rwanda

Nsamzimana et al, Lancet HIV 2017

• Additional surveys available for (at least) Kenya, Zambia, DRC, Lesotho, Benin, Togo, Liberia, Angola, and South Africa

- Additional surveys available for (at least) Kenya, Zambia, DRC, Lesotho, Benin, Togo, Liberia, Angola, and South Africa
- Information is available to create...

- Additional surveys available for (at least) Kenya, Zambia, DRC, Lesotho, Benin, Togo, Liberia, Angola, and South Africa
- Information is available to create...
 - 1. HIV testing prevalence


- Additional surveys available for (at least) Kenya, Zambia, DRC, Lesotho, Benin, Togo, Liberia, Angola, and South Africa
- Information is available to create...
 - 1. HIV testing prevalence
 - 2. HIV prevalence among those untested

- Additional surveys available for (at least) Kenya, Zambia, DRC, Lesotho, Benin, Togo, Liberia, Angola, and South Africa
- Information is available to create...
 - 1. HIV testing prevalence
 - 2. HIV prevalence among those untested
 - 3. prevalence of some co-morbidities (undernutrition, anemia)


- Additional surveys available for (at least) Kenya, Zambia, DRC, Lesotho, Benin, Togo, Liberia, Angola, and South Africa
- Information is available to create...
 - 1. HIV testing prevalence
 - 2. HIV prevalence among those untested
 - 3. prevalence of some co-morbidities (undernutrition, anemia)
 - 4. HIV risk factor distribution (circumcision, marital status, IPV)

Innovating for IS


• To do more with the finite resources, trial should use LEVIS...




- To do more with the finite resources, trial should use LEVIS...
 - 1. Large




- To do more with the finite resources, trial should use LEVIS...
 - 1. Large
 - 2. Leveraged




- To do more with the finite resources, trial should use LEVIS...
 - 1. Large
 - 2. Leveraged
 - 3. Embedded




- To do more with the finite resources, trial should use LEVIS...
 - 1. Large
 - 2. Leveraged
 - 3. Embedded
 - 4. Valuable




- To do more with the finite resources, trial should use LEVIS...
 - 1. Large
 - 2. Leveraged
 - 3. Embedded
 - 4. Valuable
 - 5. Innovative



- To do more with the finite resources, trial should use LEVIS...
 - 1. Large
 - 2. Leveraged
 - 3. Embedded
 - 4. Valuable
 - 5. Innovative
 - 6. Inexpensive



- To do more with the finite resources, trial should use LEVIS...
 - 1. Large
 - 2. Leveraged
 - 3. Embedded
 - 4. Valuable
 - 5. Innovative
 - 6. Inexpensive
 - 7. Sound





Health Information	Grants & Funding	News & Events	Research & Training	
Home » News & Events » News Releases				
NEWS RELEASES				

Tuesday, July 24, 2018

NIH expands program that conducts large-scale clinical trials in real-world settings

• Design large trials with meaningful outcomes

- Design large trials with meaningful outcomes
- Implementation inside existing population samples or registries

- Design large trials with meaningful outcomes
- Implementation inside existing population samples or registries
- Leverage existing data collection efforts

- Design large trials with meaningful outcomes
- Implementation inside existing population samples or registries
- Leverage existing data collection efforts
- Embed data collection of primary outcomes in existing data structures

- Design large trials with meaningful outcomes
- Implementation inside existing population samples or registries
- Leverage existing data collection efforts
- Embed data collection of primary outcomes in existing data structures
- Make any possible parts of the data publicly available

- Design large trials with meaningful outcomes
- Implementation inside existing population samples or registries
- Leverage existing data collection efforts
- Embed data collection of primary outcomes in existing data structures
- Make any possible parts of the data publicly available
- DHS waves cost on average \$1-2 million

Thank you for listening

Thank you for listening Let's work together